Listing of Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

- (currently amended) A composition comprising a homeopathic preparation of purified 1. protein selected from the group consisting of: insulin-like growth factor-1 (IGF-1); Fibrinogen B; glycoprotein 130 (GP130); signal transducer and activator of transcription 3 (STAT3); mitogen activated protein kinase p38 (p38MAPK); growth arrest and DNA damage inducible protein 45 (GADD45); apurinic endonuclease (APEN); membrane-type 1 matrix metalloproteinasetransmembrane protein (MTI MMP); monocarboxylate transporter 1 (MCT1); fatty acid binding protein (FABP); epidermal growth factor receptor (EGF-R) and transforming growth factor alpha receptor (TGF alpha-R); insulin like growth factor binding proteins 1 and 3 (IGFBP-1 and IGFBP-3); acid-labile subunit of the IGF-binding complex (ALS); suppressors of cytokine signaling (SOCS); transcription factors c-fos, c-jun, interferon response factor (IRF) 1; hepatocyte nuclear factor 6 (HNF-6); a cyclin, including A or A-type cyclin, a B or B-type cyclin, a C or C-type cyclin, a D or D-type cyclin, or an E or E-type cyclin; granulocyte macrophage colony stimulating factors (GM-CSF), granulocyte-colony stimulating factors (G-CSF), macrophage-colony-stimulating factors (M-CSF), tumor-necrosis factors (such-as TNF-1), hepatocyte growth factors, insulin like growth factors (IGF), transforming growth factors (such as TGF_{BI}), nerve growth factors (NGF), epidermal growth factor receptors, stem cell-factors (SCF), platelet-derived growth factors (PDGF), fibroblast growth factors (FGF), including FGF1 and FGF2, interleukin-1, interleukin-2, keratinocyte growth factors, ciliary neurotrophic growth factors, Schwann cell derived growth factors, vaccinia virus growth factors, retinoic acid, bombyxin, neu-differentiation factor, v-Sis, glial-growth factor/acetylcholine receptor-inducing activity and other proteins belonging to their structural superfamilies; wherein the molar concentration of said purified protein insulin-like growth factor-1 is less than 1×10^{-6} molar.
 - 2. (original) A composition as recited in claim 1 additionally comprising at least one component selected from the group consisting of: a vitamin, a mineral, an amino acid, carnitine, CoQ10, vitamin K, vitamin E, Ginko Biloba, Phosphadityl Serine, an Omega 3 oil, flax seed, fish

oil, polyamines, alpha hydroxy, glycolytic acid, and DHA.

- 3. (original) A composition as recited in claim 1 wherein the composition is a liquid.
- 4. (original) A composition as recited in claim 3 for oral administration.
- 5. (original) A composition as recited in claim 3 for administration to the throat or lungs or airways or nasal passages or eyes or skin.
- 6. (original) A composition as recited in claim 1 formulated for delivery transdermally.
- 7. (original) A composition as recited in claim 1 formulated for delivery in a cosmetic or personal health and care product.
- 8. (original) A composition as recited in claim 1 formulated for vaginal or anal delivery.
- 9. (original) A composition as recited in claim 1 wherein the composition is impregnated on a solid medium.
- 10. (currently amended) A composition as recited in claim 1, wherein the purified protein insulin-like growth factor-1 is at least 95% pure.
- 11. (currently amended) A composition as recited in claim 1, wherein the purified protein insulin-like growth factor-1 is a recombinant human protein.
- 12. (original) A composition as recited in claim 1 formulated in a lotion for topical application.
- 13. (currently amended) A composition as recited in claim 1 comprising a wherein the purified protein having insulin-like growth factor-1 has a homeopathic potency selected from the

group consisting of: 6X, 6C, 15X, 12C, 30C, 100C, 200C, and 1M (1000C).

- 14. (currently amended) A composition as recited in claim 1, additionally comprising a homeopathic potency of a substance selected from the group consisting of: a fibroblast growth factor (FGF), a platelet-derived growth factor (PDGF), an interleukin-1, an interleukin-2, and a hepatocyte growth factor at least two purified proteins.
- 15. (original) A composition as recited in claim 1 comprising a combination potency formulation having at least two homeopathic potencies.
- 16. (new) A composition as recited in claim 15, wherein the combination potency formulation comprises 6X and 12C homeopathic potencies.
- 17. (new) A composition as recited in claim 15, wherein the combination potency formulation comprises 6C, 100C, and 200C homeopathic potencies.
- 18. (new) A composition as recited in claim 15, wherein the combination potency formulation comprises 6C and 1M homeopathic potencies.
- 19 (new) A composition as recited in claim 1, wherein the composition may be used in combination with one or more traditional homeopathics selected from the group consisting of: arsenicum, pulseatilla, aconite, hypericum, and metabolic sarcodes.
- 20. (new) A composition as recited in claim 1, wherein the composition further comprises a homeopathic preparation of purified growth hormone.